

DESIGNER SANTIAGO COLLECTION

REVOLVE FABRICS

Applications

Roller Blinds
Roman Shades
Panel Glide

Composition

100% Polyester

Weight

220gsm ± 10gsm

Fabric Thickness

0.51mm

Roll Width

2.0m

Privacy Factor

Light Filtering low-mid

Colour Fastness

6-7 Blue Scale

3 Colours Available

Woven in Australia

Low VOCs

MULTIVISION® Concept



Product: Santiago Collection Revolve Fabric Colour: Natural



HunterDouglasCommercial

WINDOW COVERINGS

Designer Santiago Collection Revolve Fabrics

features and benefits

100% Polyester

Up to 3 Colours

Great designer neutral colours in 3 unique colours.

Textured Basecloth

Gives the fabric a beautiful feel.

Light Filtering

All colours in the range allow light to filter through the fabric providing a low-mid level privacy factor.

UV Resistant

All colours meet Australian Standards for colour fastness to resist fading.

Oeko-Tex "Confidence in Textiles"

Synonymous worldwide with responsible textile manufacture - from the raw materials to the finished product. The Oeko-Tex Standard 100 is a test and certification system for textile raw materials, intermediate and end products

at all processing stages that is consistent worldwide. Revolve Fabric has been tested for harmful substances according to Oeko-Tex Standard 100.






VOCs

Revolve Fabric has been tested and does not exceed the maximum VOC (Volatile Organic Compound) criteria specified by the Green Building Council of Australia (IEQ-11).

MULTIVISION® Concept

MULTIVISION® is a group of fabrics that are perceived to be the same colour tone, but have different opacities. A number of Revolve Fabric colours have been selected for the MULTIVISION® Concept. For more information refer to the Hunter Douglas Commercial MULTIVISION® Brochure.

Solar Optical Properties and COMFORT RATING Guide#

COLOUR	Ts	Rs	As	TL	RL	AL	Tuv	Sc					
Blue	9	8	83	12	5	83	7	0.72	◆◆◆◆	◆◆	◆◆◆◆	◆◆◆◆◆◆	◆◆◆◆◆◆
Cockatoo	38	48	14	34	44	22	22	0.52	◆◆◆◆	◆◆	◆	◆◆◆◆◆◆	◆◆
Espresso	10	13	77	11	10	79	8	0.69	◆◆◆◆	◆◆	◆◆◆◆	◆◆◆◆◆◆	◆◆◆◆◆◆
Natural	24	30	46	22	25	53	13	0.61	◆◆◆◆	◆◆	◆◆	◆◆	◆◆

Solar Optical Properties Guide

- Ts - Heat Transmittance (%)
- Rs - Heat Reflectance (%)
- As - Heat Absorbance (%)
- TL - Light Transmittance (%)
- RL - Light Reflectance (%)
- AL - Light Absorbance (%)
- Tuv - Ultraviolet Transmittance (%)
- Sc - Shading Coefficient

COMFORT RATING Guide#

- ◆◆◆◆◆ Highest level of protection/performance
- ◆◆◆◆ High level of protection/performance
- ◆◆◆ Medium level of protection/performance
- ◆◆ Low level of protection/performance
- ◆ No protection

COMFORT RATING has been devised by Hunter Douglas Limited with the assistance of Canesis Pty Ltd - an Independent Australian Fibre and Textile Research and Development Company.



Heat Protection



Insulation



Glare Reduction



UV Protection



Shade Factor

Fire Retardancy

Complies with the General Requirements of the Building Code of Australia for Fire Hazard Properties of materials in buildings. Not suitable for use in parts of buildings with Special Requirements, i.e. fire isolated exits; public corridors leading to a fire isolated stairway, passageway or ramp; a patient care area of health care buildings; and in a public assembly building (e.g. theatre or hall) not protected with a sprinkler system.

Ignitability Index [Range 0-20]	5	Heat Evolved Index [Range 0-10]	3
Spread of Flame Index [Range 0-10]	9	Smoke Developed Index [Range 0-10]	7

HunterDouglasCommercial

WINDOW COVERINGS

To see how Hunter Douglas Commercial Window Coverings can transform your next project call **1300 733 078**.

www.hunterdouglascommercial.com.au

© Copyright 2008. © Registered Trade Marks of Hunter Douglas Limited (ABN 98 009 675 709).
10.08_C7759/Revolve