

SHEER/TRANSLUCENT

CASABLANCA FABRIC

Applications

Roller Blinds
Roman Shades
Panel Glide

Composition

100% Polyester

Weight

Sheer – 160gsm \pm 10gsm
Translucent – 250gsm \pm 10gsm

Fabric Thickness

Sheer – 0.44mm
Translucent – 0.46mm

Roll Width

2.4m

Privacy Factor

Sheer – Low-Mid
Translucent – High

Colour Fastness

6-7 Blue Scale

4 Colours Available

MULTIVISION® Concept



Product: Casablanca Translucent Fabric Colour: Silver/Grey



HunterDouglasCommercial

WINDOW COVERINGS

Casablanca Sheer/Translucent Fabrics

features and benefits

100% Polyester

4 Colours

Modern colour range designed to suit most Australian interiors.

UV Resistant

All colours meet Australian Standards for colour fastness to resist fading.

Oeko-Tex "Confidence in Textiles"






Synonymous worldwide with responsible textile manufacture - from the raw materials to the finished product. The Oeko-Tex Standard 100 is a test and

certification system for textile raw materials, intermediate and end products at all processing stages that is consistent worldwide. Casablanca Translucent Fabric has been tested for harmful substances according to Oeko-Tex Standard 100

MULTIVISION® Concept

MULTIVISION® is a group of fabrics that are perceived to be the same colour tone, but have different opacities. A number of Casablanca Translucent Fabric colours have been selected for the MULTIVISION® Concept. For more information refer to the Hunter Douglas Commercial MULTIVISION® Brochure.

Solar Optical Properties and COMFORT RATING Guide*

COLOUR	Ts	Rs	As	Tl	Rl	Al	Tuv	Sc	 Heat Protection	 Insulation	 Shade Factor	 Glare Reduction	 UV Protection
Translucent - Bronze/Brown	0	16	84	0	15	85	0	0.64	◆◆◆◆	◆◆	◆◆◆◆◆◆	Blockout	◆◆◆◆◆◆
Translucent - Gold/Crème	3	49	48	1	46	53	0	0.42	◆◆◆◆◆◆	◆◆	◆◆◆◆◆◆	◆◆◆◆◆◆	◆◆◆◆◆◆
Translucent - Silver/Grey	1	46	53	1	48	51	0	0.44	◆◆◆◆◆◆	◆◆	◆◆◆◆◆◆	◆◆◆◆◆◆	◆◆◆◆◆◆
Translucent - White/Crème	8	73	19	4	66	30	0	0.26	◆◆◆◆◆◆	◆◆	◆◆◆◆◆◆	◆◆◆◆◆◆	◆◆◆◆◆◆
Sheer - Bronze/Brown	17	25	58	18	23	59	10	0.62	◆◆◆◆	◆◆	◆◆◆◆	◆◆◆◆	◆◆◆◆
Sheer - Gold/Crème	30	43	27	29	43	28	17	0.53	◆◆◆◆◆◆	◆◆	◆◆◆◆	◆◆◆◆	◆◆◆◆
Sheer - Silver/Grey	23	36	41	24	38	38	15	0.56	◆◆◆◆	◆◆	◆◆◆◆	◆◆◆◆	◆◆◆◆
Sheer - White/Crème	37	53	10	34	55	11	21	0.48	◆◆◆◆◆◆	◆◆	◆◆◆◆	◆◆◆◆	◆◆◆◆

Solar Optical Properties Guide

- Ts - Heat Transmittance (%)
- Rs - Heat Reflectance (%)
- As - Heat Absorbance (%)
- Tl - Light Transmittance (%)
- Rl - Light Reflectance (%)
- Al - Light Absorbance (%)
- Tuv - Ultraviolet Transmittance (%)
- Sc - Shading Coefficient

COMFORT RATING Guide*

- ◆◆◆◆ Highest level of protection/performance
- ◆◆◆ High level of protection/performance
- ◆◆◆ Medium level of protection/performance
- ◆◆ Low level of protection/performance
- ◆ No protection

* COMFORT RATING Guide has been devised by Hunter Douglas Limited with the assistance of Canesis Pty Ltd - an Independent Australian Fibre and Textile Research and Development Company.



Heat Protection



Insulation



Glare Reduction



UV Protection



Shade Factor

Fire Retardant

Complies with the General Requirements of the Building Code of Australia for Fire Hazard Properties of materials in buildings.

Ignitability Index [Range 0-20]	0	Heat Evolved Index [Range 0-10]	0
Spread of Flame Index [Range 0-10]	0	Smoke Developed Index [Range 0-10]	0-1

HunterDouglasCommercial

WINDOW COVERINGS

To see how Hunter Douglas Commercial Window Coverings can transform your next project call **1300 733 078**.

www.hunterdouglascommercial.com.au

© Copyright 2008. © Registered Trade Marks of Hunter Douglas Limited (ABN 98 009 675 709).
10.08_C7759/Casablanca