

# TRANSLUCENT

## PLATINUM FABRIC

### Applications

Roller Blinds  
Panel Glide

### Composition

100% Polyester Trevira CS

### Weight

145gsm

### Fabric Thickness

0.38mm

### Roll Width

2.3m

### Openness Factor

14% Average  
(depending on colour)

### Colour Fastness

6-7 Blue Scale

### Stiffness

50mm ± 5mm

### 4 Colours Available

### Metallised Fabric

### Low VOCs

### MULTIVISION® Concept



Product: Platinum Translucent Fabric Colour: Perse Blue



**HunterDouglasCommercial**

WINDOW COVERINGS

# Platinum Translucent Fabric

## features and benefits

### 100% Polyester Trevira CS

#### Basket Weave (2/2 Hopsack)

Textured modern design.

#### 4 Colours

Modern colour range designed to suit most Australian interiors.

#### Metallised Fabric

Provides excellent and consistent solar optical properties.

#### Excellent Solar Optical Properties

The solar optical properties include heat protection, insulation, shade factor, glare reduction and UV protection.

#### Light Filtering

The unique weave allows light to filter through and provides a certain level of daytime privacy.

#### UV Resistant

All colours meet Australian Standards for colour fastness to resist fading.

#### Trevira CS

Inherent Fire Retardancy properties for permanent fire retardancy.

### Oeko-Tex "Confidence in Textiles"

Synonymous worldwide with responsible textile manufacture - from the raw materials to the finished product. The Oeko-Tex Standard 100 is a test and certification system for textile raw materials, intermediate and end products at all processing stages that is consistent worldwide. Platinum Translucent Fabric has been tested for harmful substances according to Oeko-Tex Standard 100.






### VOCs

Platinum Translucent Fabric has been tested and does not exceed the maximum VOC (Volatile Organic Compound) criteria specified by the Green Council of Australia (IEQ-11).

### MULTIVISION® Concept

MULTIVISION® is a group of fabrics that are perceived to be the same colour tone, but have different opacities. A number of Platinum Translucent Fabric colours have been selected for the MULTIVISION® Concept. For more information refer to the Hunter Douglas Commercial MULTIVISION® Brochure.

## Solar Optical Properties and COMFORT RATING Guide\*

COLOUR	Ts	Rs	As	Tl	Rl	Al	Tuv	Sc	 Heat Protection	 Insulation	 Shade Factor	 Glare Reduction	 UV Protection
Midnight	17	33	50	17	35	48	13	0.57	◆◆◆◆	◆◆	◆◆◆◆	◆◆◆◆	◆◆
Perse Blue	18	34	48	19	35	46	14	0.57	◆◆◆◆	◆◆	◆◆◆◆	◆◆◆◆	◆◆
Shimmer	21	36	43	22	40	38	17	0.56	◆◆◆	◆◆	◆◆	◆◆	◆
Beach Sand	22	34	44	23	36	41	17	0.58	◆◆◆	◆◆	◆◆	◆◆	◆

### Solar Optical Properties Guide

- Ts - Heat Transmittance (%)
- Rs - Heat Reflectance (%)
- As - Heat Absorbance (%)
- Tl - Light Transmittance (%)
- Rl - Light Reflectance (%)
- Al - Light Absorbance (%)
- Tuv - Ultraviolet Transmittance (%)
- Sc - Shading Coefficient

### COMFORT RATING Guide\*

- ◆◆◆◆ Highest level of protection/performance
- ◆◆◆ High level of protection/performance
- ◆◆ Medium level of protection/performance
- ◆ Low level of protection/performance
- ◆ No protection

\* COMFORT RATING Guide has been devised by Hunter Douglas Limited with the assistance of Canesis Pty Ltd - an Independent Australian Fibre and Textile Research and Development Company.



Heat Protection



Insulation



Glare Reduction



UV Protection



Shade Factor

## Fire Retardant

Complies with the General Requirements of the Building Code of Australia for Fire Hazard Properties of materials in buildings.

Ignitability Index [Range 0-20]	0	Heat Evolved Index [Range 0-10]	0
Spread of Flame Index [Range 0-10]	0	Smoke Developed Index [Range 0-10]	0-1

# HunterDouglasCommercial

WINDOW COVERINGS

To see how Hunter Douglas Commercial Window Coverings can transform your next project call **1300 733 078**.

[www.hunterdouglascommercial.com.au](http://www.hunterdouglascommercial.com.au)

© Copyright 2008. © Registered Trade Marks of Hunter Douglas Limited (ABN 98 009 675 709).  
10.08\_C7759/Platinum