

# BLOCKOUT

## EXTRAFLOCKE FABRIC

### Applications

Roller Blinds  
Roman Shades  
Panel Glide

### Composition

100% Polyester

### Weight

400gsm  $\pm$  10gsm

### Fabric Thickness

0.50mm  $\pm$  0.05mm

### Roll Width

2.45m

### Colour Fastness

6-7 Blue Scale

### Stiffness

52mm  $\pm$  5mm

### Made in Australia

### Low VOCs

### MULTIVISION® Concept



Product: Extraflocke Blockout Fabric Colour: Glimmer



## HunterDouglasCommercial

WINDOW COVERINGS

# Extraflocke Blockout Fabric

## features and benefits

### 100% Polyester

### 9 Colours

A range of neutrals and great new season designer colours.

### Neutral Flocked Backing

Create a colourful interior whilst maintaining a uniform look from the outside of the building.

### Room Darkening

All colours in the range provide maximum light control.

### UV Resistant

All colours meet Australian Standards for colour fastness to resist fading.

### Australian Made

Proudly made in Australia to support the local textiles industry.

### DURAGUARD® Fabric Protector

DURAGUARD® Fabric Protector effectively repels most stain causing agents with its proven, water based, fluorochemical formula. This fabric protection is totally invisible and has high levels of stain repellence. It makes cleaning and maintaining the fabric much easier

### Oeko-Tex “Confidence in Textiles”

Synonymous worldwide with responsible textile manufacture - from the raw materials to the finished product. The Oeko-Tex Standard 100 is a test and certification system for textile raw materials, intermediate and end products at all processing stages that is consistent worldwide. Extraflocke Blockout Fabric has been tested for harmful substances according to Oeko-Tex Standard 100.

### SANITIZED® Antimicrobial Protection

Extraflocke Blockout Fabric has been treated with SANITIZED® Antimicrobial Protection.

### VOCs

Extraflocke Blockout Fabric has been tested and does not exceed the maximum VOC (Volatile Organic Compound) criteria specified by the Green Council of Australia (IEQ-11).

### MULTIVISION® Concept

MULTIVISION® is a group of fabrics that are perceived to be the same colour tone, but have different opacities. A number of Extraflocke Blockout Fabric colours have been selected for the MULTIVISION® Concept. For more information refer to the Hunter Douglas Commercial MULTIVISION® Brochure.

## Solar Optical Properties and COMFORT RATING Guide\*

COLOUR	Ts	Rs	As	Tl	Rl	Al	Tuv	Sc	Heat Protection	Insulation	Shade Factor	Glare Reduction	UV Protection
White	0	66	34	0	54	46	0	0.29	◆◆◆◆◆	◆◆	◆◆◆◆◆	Blockout	◆◆◆◆◆
Midnight	0	64	36	0	52	48	0	0.31	◆◆◆◆◆	◆◆	◆◆◆◆◆	Blockout	◆◆◆◆◆

### Solar Optical Properties Guide

- Ts - Heat Transmittance (%)
- Rs - Heat Reflectance (%)
- As - Heat Absorbance (%)
- Tl - Light Transmittance (%)
- Rl - Light Reflectance (%)
- Al - Light Absorbance (%)
- Tuv - Ultraviolet Transmittance (%)
- Sc - Shading Coefficient

### COMFORT RATING Guide\*

- ◆◆◆◆◆ Highest level of protection/performance
- ◆◆◆◆ High level of protection/performance
- ◆◆◆ Medium level of protection/performance
- ◆◆ Low level of protection/performance
- ◆ No protection

\* COMFORT RATING Guide has been devised by Hunter Douglas Limited with the assistance of Canesis Pty Ltd - an Independent Australian Fibre and Textile Research and Development Company.



Heat Protection



Insulation



Glare Reduction



UV Protection



Shade Factor

## Fire Retardancy Information

Complies with the General Requirements of the Building Code of Australia for Fire Hazard Properties of materials in buildings. Not suitable for use in parts of buildings with Special Requirements, i.e. fire isolated exits; public corridors leading to a fire isolated stairway, passageway or ramp; a patient care area of health care buildings; and in a public assembly building (e.g. theatre or hall) not protected with a sprinkler system.

Ignitability Index [Range 0-20]	0	Heat Evolved Index [Range 0-10]	0
Spread of Flame Index [Range 0-10]	0	Smoke Developed Index [Range 0-10]	6

# HunterDouglasCommercial

WINDOW COVERINGS

To see how Hunter Douglas Commercial Window Coverings can transform your next project call **1300 733 078**.

[www.hunterdouglascommercial.com.au](http://www.hunterdouglascommercial.com.au)

© Copyright 2008. © Registered Trade Marks of Hunter Douglas Limited (ABN 98 009 675 709).  
10.08\_C7759/Extraflocke