

# BLOCKOUT

## PLAZA® PLUS FABRIC

### Applications

Roller Blinds

Vertical Blinds - 89mm Blades  
- 100mm Blades  
- 127mm Blades

### Composition

100% Polyester

### Weight

375gsm ± 20gsm

### Roll Width

2.4m

### Vertical Rolls

100m rolls

### Colour Fastness

6-7 Blue Scale

### Stiffness

70mm ± 5mm

### 21 Colours Available

### Low VOCs

### MULTIVISION® Concept



Product: PLAZA® Plus Blockout Fabric Colour: Cabernet



**HunterDouglasCommercial**

WINDOW COVERINGS

# PLAZA® Plus Blockout Fabric

## features and benefits

### 100% Polyester

### Superior Fabric Coating

A minimum of 4 layers of coating are used to provide you with a more durable fabric and improved room darkening properties.

### 21 Colours

A range of neutrals and colourful shades.

### Blockout

All colours in the range are 100% Blockout.

### UV Resistant

All colours meet Australian Standards for colour fastness to resist fading.

### Fire Retardant

Suitable for a range of commercial applications. See below.

### Australian Made

Proudly made in Australia to support the local textiles industry.

### SANITIZED® Antimicrobial Protection

PLAZA® Plus Blockout Fabric has been treated with SANITIZED® Antimicrobial Protection.

### VOCs

PLAZA® Plus Blockout Fabric has been tested and does not exceed the maximum VOC (Volatile Organic Compound) criteria specified by the Green Council of Australia (IEQ-11).

### MULTIVISION® Concept

MULTIVISION® is a group of fabrics that are perceived to be the same colour tone, but have different opacities. A number of PLAZA® Plus Blockout Fabric colours have been selected for the MULTIVISION® Concept. For more information refer to the Hunter Douglas Commercial MULTIVISION® Brochure.

## Solar Optical Properties and COMFORT RATING Guide#

COLOUR	Ts	Rs	As	TL	RL	AL	Tuv	Sc	Heat Protection	Insulation	Shade Factor	Glare Reduction	UV Protection
White	0	73	27	0	64	36	<0.5	0.24	◆◆◆◆	◆◆	◆◆◆◆◆◆	Blockout	◆◆◆◆◆◆
Vanilla	0	70	30	0	57	43	<0.5	0.26	◆◆◆◆	◆◆	◆◆◆◆◆◆	Blockout	◆◆◆◆◆◆
Alpine Haze	0	47	53	0	42	58	<0.5	0.43	◆◆◆◆	◆◆	◆◆◆◆◆◆	Blockout	◆◆◆◆◆◆
Royal	0	18	82	0	10	90	<0.5	0.63	◆◆◆	◆◆	◆◆◆◆◆◆	Blockout	◆◆◆◆◆◆
Ebony	0	7	93	0	7	93	<0.5	0.70	◆◆◆	◆◆	◆◆◆◆◆◆	Blockout	◆◆◆◆◆◆

### Solar Optical Properties Guide

- Ts - Heat Transmittance (%)
- Rs - Heat Reflectance (%)
- As - Heat Absorbance (%)
- TL - Light Transmittance (%)
- RL - Light Reflectance (%)
- AL - Light Absorbance (%)
- Tuv - Ultraviolet Transmittance (%)
- Sc - Shading Coefficient

### COMFORT RATING Guide#

- ◆◆◆◆ Highest level of protection/performance
- ◆◆◆ High level of protection/performance
- ◆◆ Medium level of protection/performance
- ◆ Low level of protection/performance
- ◆ No protection

# COMFORT RATING Guide has been devised by Hunter Douglas Limited with the assistance of Canesis Pty Ltd - an Independent Australian Fibre and Textile Research and Development Company.



Heat Protection



Insulation



Glare Reduction



UV Protection



Shade Factor

## Fire Retardant

Complies with the General Requirements of the Building Code of Australia for Fire Hazard Properties of materials in buildings. Not suitable for use in fire isolated exits of buildings.

Ignitability Index [Range 0-20]	0	Heat Evolved Index [Range 0-10]	0
Spread of Flame Index [Range 0-10]	0	Smoke Developed Index [Range 0-10]	5

# HunterDouglasCommercial

WINDOW COVERINGS

To see how Hunter Douglas Commercial Window Coverings can transform your next project call **1300 733 078**.

[www.hunterdouglascommercial.com.au](http://www.hunterdouglascommercial.com.au)

© Copyright 2008. © Registered Trade Marks of Hunter Douglas Limited (ABN 98 009 675 709).  
10.08\_C7759/PLAZA® Plus